

# AERE



|   |                                   |                            |   |          |
|---|-----------------------------------|----------------------------|---|----------|
| <b>FULL BODY</b>                                    |                                   | <b>ELEMENTAE FULL BODY</b> |   |          |
| <b>FORMATI</b>                                      | 120x120                           | 48"x48"                    | 10 mm   | FM-NP    |
| Sizes   | 120x60                            | 48"x24"                    | 10 mm   | FM-NP-ST |
|   | 120x30                            | 48"x12"                    | 10 mm   | ST       |
|   | 60x60                             | 24"x24"                    | 10 mm   | FM-NP    |
| <b>SUPERFICI</b>                                    | Flamed (FM)                       |                            |   |          |
| Finishes  | Natural Plus (NP)                 |                            |   |          |
|   | Structured (ST)                   |                            |   |          |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B |                            | Natural Plus R10*<br>Flamed R11*<br>Structured R11*     |          |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              |                            | Natural Plus A+B*<br>Flamed A+B+C*<br>Structured A+B+C* |          |
| <b>CM2</b>  |                                   | <b>CM2 OUTDOOR</b>         |   |          |
| <b>FORMATI</b>                                      | 100x100                           | 40"x40"                    | 20 mm   | AN       |
| Sizes   |                                   |                            |   |          |
| <b>SUPERFICI</b>                                    | Antislip (AN)                     |                            |   |          |
| Finishes  |                                   |                            |   |          |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B |                            | R11*  |          |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              |                            | A+B+C*  |          |

\* Vedi avvertenze riportate a pagina riepilogativa del Safe System  
See warnings given on the Safe System summary page on pag. 285

# SABULA



|   |                                   |                            |   |          |
|---|-----------------------------------|----------------------------|---|----------|
| <b>FULL BODY</b>                                    |                                   | <b>ELEMENTAE FULL BODY</b> |   |          |
| <b>FORMATI</b>                                      | 120x120                           | 48"x48"                    | 10 mm   | FM-NP    |
| Sizes   | 120x60                            | 48"x24"                    | 10 mm   | FM-NP-ST |
|   | 120x30                            | 48"x12"                    | 10 mm   | ST       |
|   | 60x60                             | 24"x24"                    | 10 mm   | FM-NP    |
| <b>SUPERFICI</b>                                    | Flamed (FM)                       |                            |   |          |
| Finishes  | Natural Plus (NP)                 |                            |   |          |
|   | Structured (ST)                   |                            |   |          |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B |                            | Natural Plus R10*<br>Flamed R11*<br>Structured R11*     |          |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              |                            | Natural Plus A+B*<br>Flamed A+B+C*<br>Structured A+B+C* |          |
| <b>CM2</b>  |                                   | <b>CM2 OUTDOOR</b>         |   |          |
| <b>FORMATI</b>                                      | 100x100                           | 40"x40"                    | 20 mm   | AN       |
| Sizes   |                                   |                            |   |          |
| <b>SUPERFICI</b>                                    | Antislip (AN)                     |                            |   |          |
| Finishes  |                                   |                            |   |          |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B |                            | R11*  |          |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              |                            | A+B+C*  |          |

\* Vedi avvertenze riportate a pagina riepilogativa del Safe System  
See warnings given on the Safe System summary page on pag. 285



# PLUVIA



| FULL BODY   |                                   | ELEMENTAE FULL BODY |               |
|---|-----------------------------------|---------------------|---------------|
| <b>FORMATI</b>                                      | 120x120 48"x48"                   | 10 mm               | FM-NP         |
| Sizes   | 120x60 48"x24"                    | 10 mm               | FM-NP-ST      |
|   | 120x30 48"x12"                    | 10 mm               | ST            |
|   | 60x60 24"x24"                     | 10 mm               | FM-NP         |
| <b>SUPERFICI</b>                                    | Flamed (FM)                       |                     |               |
| Finishes  | Natural Plus (NP)                 |                     |               |
|   | Structured (ST)                   |                     |               |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B | Natural Plus R10*   | Flamed R11*   |
|   |                                   | Structured R11*     |               |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              | Natural Plus A+B*   | Flamed A+B+C* |
|   |                                   | Structured A+B+C*   |               |
| CM2   |                                   | CM2 OUTDOOR         |               |
| <b>FORMATI</b>                                      | 100x100 40"x40"                   | 20 mm               | AN            |
| Sizes   |                                   |                     |               |
| <b>SUPERFICI</b>                                    | Antislip (AN)                     |                     |               |
| Finishes  |                                   |                     |               |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B |                     | R11*          |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              |                     | A+B+C*        |

\* Vedi avvertenze riportate a pagina riepilogativa del Safe System  
See warnings given on the Safe System summary page on pag. 285

# LABI



| FULL BODY   |                                   | ELEMENTAE FULL BODY |               |
|---|-----------------------------------|---------------------|---------------|
| <b>FORMATI</b>                                      | 120x120 48"x48"                   | 10 mm               | FM-NP         |
| Sizes   | 120x60 48"x24"                    | 10 mm               | FM-NP-ST      |
|   | 120x30 48"x12"                    | 10 mm               | ST            |
|   | 60x60 24"x24"                     | 10 mm               | FM-NP         |
| <b>SUPERFICI</b>                                    | Flamed (FM)                       |                     |               |
| Finishes  | Natural Plus (NP)                 |                     |               |
|   | Structured (ST)                   |                     |               |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B | Natural Plus R10*   | Flamed R11*   |
|   |                                   | Structured R11*     |               |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              | Natural Plus A+B*   | Flamed A+B+C* |
|   |                                   | Structured A+B+C*   |               |
| CM2   |                                   | CM2 OUTDOOR         |               |
| <b>FORMATI</b>                                      | 100x100 40"x40"                   | 20 mm               | AN            |
| Sizes   |                                   |                     |               |
| <b>SUPERFICI</b>                                    | Antislip (AN)                     |                     |               |
| Finishes  |                                   |                     |               |
| <b>CLASSIFICAZIONE RESISTENZA ALLO SCIVOLAMENTO</b> | SAFE SYSTEM: DIN EN 16165-ANNEX B |                     | R11*          |
| Slip resistance classification                      | DIN EN 16165-ANNEX A              |                     | A+B+C*        |

\* Vedi avvertenze riportate a pagina riepilogativa del Safe System  
See warnings given on the Safe System summary page on pag. 285



# STONE EFFECT



**FLOOR**  
ELEMENTAE - Sabula  
120x120 Flamed

**WALL**  
ELEMENTAE - Sabula  
120x120 Natural Plus  
120x60 Structured

**FURNITURE**  
ULTRA MARMI - Travertino Titanio  
Natural Plus





**FLOOR**  
ELEMENTAE – Aere  
120x120 Natural Plus

**FURNITURE**  
ULTRA MARMI – Verde St. Denis  
Polished







**INDOOR FLOOR**  
 ELEMENTAE – Pluvia  
 120x120 Natural Plus

**OUTDOOR FLOOR**  
 ELEMENTAE – Pluvia  
 120x120 Natural Plus





**FLOOR**  
 ULTRA PIETRE - Crema Italia  
 300x150 Natural

**WALL**  
 ULTRA PIETRE - Crema Italia  
 300x150 Natural  
 ELEMENTAE - Sabula  
 120x60 Structured